


Superfly[®] Trampolines

User Manual



Superfly^x

Trampolines

This manual covers the assembly, maintenance and recommended use of the following Superfly X models.

[SUPERX8] Superfly X Trampoline 8ft

[SUPERX10] Superfly X Trampoline 10ft

[SUPERX12] Superfly X Trampoline 12ft

[SUPERX14] Superfly X Trampoline 14ft

[SUPERX15] Superfly X Trampoline 15ft

For Assistance

Contact our exclusive New Zealand retailer Trade Tested

0800 800 880

support@tradetested.co.nz

www.tradetested.co.nz

Contents

| | |
|-------------------------------|-----------|
| Contents | 1 |
| Warranty | 3 |
| Safety and Usage | 4 |
| Trampoline Location | 5 |
| Trampoline Parts List | 6 |
| Trampoline Assembly | 7 |
| Accessory Assembly | 11 |
| Trampoline Maintenance | 13 |

Trampoline Warranty

Superfly X

Limited Trampoline Warranty

Warranty Coverage

Trade Tested Ltd and its authorised service partners warrant its products to be free of defects in material and workmanship under normal domestic recreational use and service conditions. The various component parts of the trampoline are warranted against failure and defects in the workmanship as follows:

FRAME: 10 YEAR WARRANTY

JUMP MAT & SPRINGS: 5 YEARS WARRANTY

SAFETY PAD & SAFETY NET: 3 YEAR WARRANTY

SUPERFLY ACCESSORY RANGE: 1 YEAR WARRANTY

The warranty in respect of the mat and the enclosure net does not cover normal wear and tear (e.g. stitching wear due to use), burns, cuts or snags. The warranty on the frame does not cover surface rust. Warranty claims resulting from manufacturing defects e.g. cuts in mats, broken D-rings, tears in net, missing parts etc must be reported within 60 days of the product being purchased.

TRADE TESTED LTD, IS NOT RESPONSIBLE OR LIABLE FOR INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OR THE PERFORMANCE OF THE PRODUCT OR ANY OTHER DAMAGES WITH RESPECT TO ANY ECONOMIC LOSS, LOSS OF PROPERTY, LOSS OF REVENUE OR PROFITS, LOSS OF ENJOYMENT OR USE, COST OF REMOVAL, INSTALLATION/DISASSEMBLY OR OTHER CONSEQUENTIAL DAMAGES. SOME STATES/TERRITORIES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. ACCORDINGLY THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU.

THE WARRANTY EXTENDED HEREUNDER IS IN LIEU OF ALL OTHER WARRANTIES AND ANY IMPLIED WARRANTY OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE IS LIMITED IN ITS SCOPE AND DURATION TO THE TERMS SET FORTH HEREIN. SOME STATES/TERRITORIES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS. ACCORDINGLY THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU. THIS WARRANTY IS NOT TRANSFERABLE.

Trampoline Safety & Usage

Specific Use Limitations


1. Do not use trampoline without mature and knowledgeable supervision.
2. Do not allow more than one person on the trampoline at any time.
3. Do not use the trampoline if it's raining.
4. Do not jump onto or off of the trampoline.
5. Do not use a trampoline while under the influence of drugs or alcohol.
6. Do not allow any activity underneath the trampoline.
7. The trampoline must not be used in gusty or severe winds and only when wind or air movement is calm and gentle.

Safety Instructions

1. Read all instructions before using the trampoline.
2. Allow only one person on the trampoline at any time. Use by more than one person at the same time can result in serious injury.
3. Use the trampoline only with mature adult supervision at all times.
4. Inspect the trampoline before each use. Make sure the frame padding is correctly and securely positioned. Replace any worn, defective, or missing parts.
5. Keep objects away that could interfere with the user. Maintain a clear area around, above, and under the trampoline.
6. Misuse and abuse of the trampoline is dangerous and can cause serious injuries.
7. Climb on and off the trampoline - do not jump. Jumping from the trampoline to the ground is dangerous. Similarly, do not run and leap onto the trampoline.
8. Never use springs or extension elements as 'hand grips'.
9. Do not use the trampoline as a springboard to other objects. Use the trampoline only for trampoline style bouncing.
10. Your clothing should allow plenty of freedom of movement, but loose clothing is discouraged.
11. No buckles or jewellery should be worn, as these could damage the trampoline mat and cause injury to the jumpers.
12. Avoid bringing any miscellaneous items onto the trampoline.
13. Trampoline safety net must always be fitted to trampoline to promote safer use of the trampoline.
14. Trade Tested Ltd does not condone pets to be on the trampoline at any time, as sharp claws may also cause damage to the safety netting, jumping mat, or safety padding of the trampoline.

Trampoline Location

Trampoline location is vital to the safety of the jumpers here are our safety recommendations.



- Make sure you have 8m from the ground of overhead space clear of trees, powerlines or other obstacles.
- Always have 1m of clear space on all sides of your trampoline and ensure that your ground anchors are securely in the ground to prevent movement.
- Keep the trampoline on a level surface.
- Do not keep in an exposed area during gusty or severe winds, always move into covered areas during storms or dismantle legs and safety net.

Trampoline Parts List



| Part No. | Part Name | 8ft | 10ft | 12ft | 14ft | 15 ft |
|----------|------------------|-----|------|------|------|-------|
| 1 | Safety Pad | 1 | 1 | 1 | 1 | 1 |
| 2 | Jump Mat | 1 | 1 | 1 | 1 | 1 |
| 3 | Safety Net | 1 | 1 | 1 | 1 | 1 |
| 4 | Top Rail | 6 | 8 | 10 | 12 | 12 |
| 5 | Feet | 3 | 4 | 5 | 6 | 6 |
| 6 | Lower Net Pole | 6 | 8 | 10 | 12 | 12 |
| 7 | Upper Net Pole | 6 | 8 | 10 | 12 | 12 |
| 8 | Leg | 6 | 8 | 10 | 12 | 12 |
| 9 | Nuts & Bolts | 12 | 16 | 20 | 24 | 24 |
| 10 | Net Pole Spacer | 12 | 16 | 20 | 24 | 24 |
| 11 | Spring Pull Tool | 1 | 1 | 1 | 1 | 1 |
| 12 | Spring | 48 | 64 | 80 | 84 | 96 |
| 13 | Net Pole Screw | 6 | 8 | 10 | 12 | 12 |
| 14 | Bungee Cable | 12 | 16 | 20 | 24 | 24 |
| 15 | Ground Stake | 3 | 4 | 4 | 4 | 4 |

Trampoline Assembly

Congratulations on your Superfly purchase!
Please follow these assembly instructions carefully
and you'll be up and bouncing in no time!

 1HR 30MIN  2 ADULTS

1 Join top rails

Slot together all Top Rails **4** into pairs
and arrange together as shown.

i

8ft = 3 pairs (6 Top Rails)
10ft = 4 pairs (8 Top Rails)
12ft = 5 pairs (10 Top Rails)
14ft = 6 pairs (12 Top Rails)
15ft = 6 pairs (12 Top Rails)



2 Join legs to feet

Attach all W bend shaped feet **5** to the
trampoline legs **8**. Push down the safety lock
button on the foot when inserting leg over foot, it
will pop back out when the leg is inserted correctly.

i

8ft = 3 feet rails
10ft = 4 feet rails
12ft = 5 feet rails
14ft = 6 feet rails
15ft = 6 feet rails



3 Join legs to top rail

Insert assembled legs into your top rail pairs.
Make sure the safety lock is facing outwards.
It will pop through once inserted correctly.

i

Slide both of the legs into the top rail
simultaneously for smoother assembly.



4 Attach safety net to jump mat

Spread out the jump mat **2** on a flat surface and then place the safety net **3** on top. Go around the net inserting the mats D-rings through the underside of the safety net.

i After you have done this drag the mat to your desired final location for the trampoline.



5 Join assembled top rails

With 2 people, connect up all the top rails until the base of your trampoline is all connected as shown in step 6.


i The trampoline base will only become secured once the springs and mat have been attached.



6 Attach jump mat and net to base

Attach the short hook of 2 springs **12** through the D-rings either side of the net seam. Then with the spring pull tool **11** provided attach the long hooks of these springs to either side of a top rail join as shown.

! **DO NOT PULL BY HAND**
This can result in injury



7 Evenly attach the remaining springs

Once each of the top rail joins has had springs attached to either side continue adding to the right of each spring pair, continuing until all springs are attached.

i Nudge the sides of the top rail inward once all springs are attached, this will help the springs to pull the top rails into place.



8 Attach safety pad

Flip the safety pad **1** to the design you prefer and lay it on top of the trampoline springs. Adjust until the pad seams align with the safety net seams and trampoline legs. If using the black pad design, make sure the Superfly X logo aligns with the safety net entrance zip.

For outside loop closest to the top rail, double up the bungee cord **14** to make it tight. For the jump mat side, tie the bungee cord through two spring 'D' hooks for a tight fit.



9 Attach safety net socks to upper net pole

Slide your net pole sock onto the upper net pole **7**. Use the attached bolt shown on the right to secure the sock through the hole into the upper net pole.




10 Attach Low Net Poles

Insert 2 long screws **9** into the bottom of the lower net pole **6**. Slide spacers **10** onto each of the long screws with the large opening of the leg spacers facing the legs. Finish by inserting the screws through the leg and then securing with a washer and hex nut.



Tighten hex nuts until the end of the screw is flush with the top of the nut, do not over tighten.



11 Attach upper net poles to lower net poles

With 2 people and a step ladder have the first person push the lower net pole **6** inward whilst the second person places the upper net pole **7** on top. Secure each net pole by inserting screws **13** and continuing with the remaining net poles.



If you have the Basketball hoop, install now using hoop manual.



12 Don't get blown away!



Position the trampoline where you would like it to be secured. Note the ground stake is only suitable for areas that have sufficiently deep soil.

To install the ground stake **15** wrap the tie down around the trampoline leg base and push the stake through the loops. Push the end of the stake into the ground you may need to use a hammer or a mallet to fully insert the stake into the ground.



13 See you ladder!

A - 2x hook poles


B - 2x plastic steps

C - 2x middle poles

D - 1x u-shaped pole

Your ladder will come assembled, lift up the trampoline safety mat **1** and place the hooks **A** over the trampoline Top Rail **4**.

Test first with your foot to ensure that the plastic steps are locked in place and secure.



Congratulations! You're Ready To Go!

Trampoline Maintenance

Your trampoline is a substantial investment for the enjoyment of your family, and it must be noted that improper use or lack of care can lead to early deterioration. Please follow all of the points below to ensure your product lasts as long as possible.

General Care

1. We strongly recommend cleaning your Superfly Trampoline and accessories every month with warm soapy water. When dirt and other particles are left to build up on the trampoline, this can cause wear and tear to accelerate.
2. When your trampoline is not going to be used for a long period of time, it is best to store it out of the weather.
3. Protect and secure your trampolines in extreme weather such as strong winds, hail and lightning. An effective way to prevent damage under these extreme circumstances is to cover the trampoline with an appropriate protective cover and to secure the trampoline to the ground to avoid it being moved by strong winds.
4. Inspect the trampoline before each use and replace any worn, defective, or missing parts.

Safety Padding

1. Trampoline safety padding is made from highly water resistant and UV-resistant material to withstand sun exposure. The safety padding is designed to be able to be drained in the event water becomes trapped inside, as this can accelerate the deterioration of the padding. If water becomes trapped, lift the pads from the inside edge to drain the water out.
2. Safety padding must be kept loose above the springs. Under no circumstances should the safety padding be leaned on, sat on, or stood on. This weight applies direct contact to the springs and can cause ripping in the safety pads and/or injury.
3. In areas that experience extreme cold, remove and store the safety pads indoor in winter. This will prevent any possible cracking due to sub-zero temperatures.
4. Under no circumstances should any object hotter than 48 degrees Celsius come into contact with any part of the safety padding. High temperatures may result in melting or burning of the padding material and extreme temperatures may cause the padding to catch fire.

Safety Net

1. Inspect the trampoline enclosure before each use.
2. Prolonged exposure of the safety net of UV rays from the sun can lead to a shortened lifespan of the material. During the winter months or when the trampoline will not be in use for a long time, e.g. winter or storm seasons, remove the safety net and store indoors in a cool dry place out of sunlight.
3. The user of the trampoline must not have any solid or sharp objects present on their person while using the trampoline. These foreign objects may cause damage to the safety netting, jumping mat or safety padding.
4. Always check for any defects in the safety netting poles before using your trampoline.
5. Regularly check that the safety netting pole bolt assembly remain in a working state, are completely fastened and are tight.
6. The safety net must be in use at all times.

For Assistance

Contact our exclusive New Zealand retailer Trade Tested

0800 800 880

support@tradetested.co.nz

www.tradetested.co.nz

